



Existing metal palisade site boundary fence to remain – BUT if it has to be removed during the course of the construction works, tree protection fencing to be erected along this line for the remainder of the works.

Should repairs to outfall pipe and / or culvert be required, tree protection fencing to be erected at these.

EXISTING SURFACE WATER OUTFALL INTO THE FAENDRE REEN TO BE REUSED.

HYDROBRAKE FLOW CONTROL WITH DISCHARGE RESTRICTION OF 10 l/s

No additional protective fencing required as the existing brick boundary wall provides adequate protection for these.

WAKEHURST PLACE

Broadway Tree Consultancy
 Tel – (01873) 859339. Mobile – 07967 683416.
 info@broadwaytrees.co.uk. www.broadwaytrees.co.uk.


Site: Wakehurst Place, St Mellon's
 Drawing Title: Tree Removal and Protection Plan + Proposals 1:250 @ A2
 Drawing Number: 200515-WP-TRPP + Proposals-Rev A-NB May 2020

Key:

- Category A
- Category B
- Category C
- Category U
- Tree Protection Fencing

Category Crown Spread
 Root Protection Area Tree Number
 Tree Height
■ Tree/hedge would have to be removed to facilitate development

NOTE: Tree/group numbers marked with an * have approximate locations.



NOTE: Do not scale from plan – all dimensions to be checked on site prior to construction.